



AMEK-MXEL 8260(s) Explosion proof flood light


Item	Description
Model	MXEL 8260(S)
Rated Voltage	AC220V
Power	70-100W
Protection Level	IP66
Lighting Angle	15/25/36/45/ 60/90/120°
Base Specifications	CREE3030
Anti-corrosion Grade	WF2
Explosion Proof Grade	Ex d II B T6
Light Efficiency	120Lm/W
Frequency	50/60Hz
Power Factor	>0.9PF
Operating Temperature	-30~50°C
Storage Temperature	-30~50°C
Correlate Color Temperature	3000-6500K
Color Rendering Index	≥70RA
LED'S Operating Life	100000Hours
Start-up Time	≤0.2S
Weight	4.8Kg
Size	299×186×174MM



Features

Explosion Proof LED Flood Lights use the latest in solid-state lighting technology for long life, low maintenance, and high efficiency. These **outdoor explosion proof flood lights** provide superior lighting without Flickering or Humming and provide convenient features such as "Instant Start."


Furthermore, our **Explosion Proof LED Flood Lights** are Eco-Friendly, which means there is NO Mercury. All **Explosion proof outdoor flood light fixtures** featured in this collection are easy to install and operate. With this improved lighting, there is no UV or IR in the beam, and the **explosion proof flood light** provides soft uniform lighting which is safe for the eyes. All commercial and outdoor LED flood lights are backed with a 5-year warranty.

Test Report







Dimensions




Install




1. Ceiling Type




2. Ceiling Type



3. Sitting Type



4. Tube hanging Type



5. Suction Type